

SOLAR LIGHTING SYSTEMS



MO-3380-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 7m (Customizable)
Solar Panel Power : 3×380W (Customizable)
Battery Capacity : 4×200Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Light Power : 4×150W (Customizable)
Light Type : LED (Option)
Control Mode : Time control/Light Control
Lighting direction : Electric Adjustment
Solar Panel Tilt : Electric Adjustment
Unfold mode: Stretching
Walk Mode: Trailer
Loading and Unloading Mode : Forklift/Crane

SV3380-4 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 4-9 m (Customizable)
Solar Panel Power : 3×380W (Customizable)
Battery Capacity : 4×200Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Camera Type : Bullet /Dome
Camera Power : Option
Control Mode : 4G
Solar Panel Tilt : Electric Adjustment
Walk Mode: Trailer
Loading and Unloading Mode : Forklift/Crane

MO-2435-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 7 m (Customizable)
Solar Panel Power : 2×435W (Customizable)
Battery Capacity : 4×200Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Light Power : 4×150W (Customizable)
Light Type : LED (Option)
Control Mode : Time control/Light Control
Lighting direction : Electric Adjustment
Walk Mode : Trailer
Loading and Unloading Mode : Forklift/Crane

Sv2435 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 4-9 m (Customizable)
Solar Panel Power : 2×435W (Customizable)
Battery Capacity : 4×200Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Camera Type : Bullet /Dome
Camera Power : Option
Control Mode : 4G
Walk Mode: Trailer
Loading and Unloading Mode : Forklift/Crane

MO-3150-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 7 m (Customizable)
Solar Panel Power : 3×150W (Customizable)
Battery Capacity : 2×150Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Light Power : 4×80W (Customizable)
Light Type : LED (Option)
Control Mode : Time control/Light Control
Lighting direction : Electric Adjustment
Solar Panel Tilt : Electric Adjustment
Storage mode: Folding
Walk Mode : Trailer
Loading and Unloading Mode : Forklift/Crane

SV3150 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)
Lifting Height: 4-9 m (Customizable)
Solar Panel Power : 3×150W (Customizable)
Battery Capacity : 2×150Ah (Customizable)
Battery Type : Colloid/Lithium (Option)
Camera Type : Bullet /Dome
Camera Power : Option
Control Mode : 4G
Solar Panel Tilt : Electric Adjustment
Storage mode: Folding
Walk Mode: Trailer
Loading and Unloading Mode : Forklift/Crane

MO-3400-4 Solar Mobile Light Tower



Lumen Output: 150lm/W
Mast Height: 7.5 Metres
Mast Type: Hydraulic/Cable
Lights: 4 x 100w LED Modules
Coverage: 110m x 100m at 5 lux
Light Bar Rotation: 355° Electric
Light Bar Tilt: 70° Electric
Trailer Type: Single Axle
Tyre and Rim Size: 215/70R15
Stabiliser Supports: 4 x Manual
Mudguard / Wheel Chock: Included
Battery: 10.8kWh Deep Cycle Gel
Wind Rating: 100km/h
Working Temperature: 0° to 50°
Runtime: 30 Hours
Solar: 1.23kWp
Solar Tilt: 30° to 45°
Efficiency (solar): 1 hour of sun/3 hours of light

MO-4350-4 Solar Mobile Light Tower



Lumen Output: 150lm/W
Mast Height: 7.5 Metres
Mast Type: Hydraulic/Cable
Lights: 4 x 200w LED Modules
Coverage: 110m x 100m at 12 lux
Light Bar Tilt: 70° Electric
Trailer Type: Single Axle
Tyre and Rim Size: 185/70R14
Stabiliser Supports: 4 x Manual
Mudguard / Wheel Chock: Included
Battery: 4 × 12V250Ah Deep Cycle Gel
Wind Rating: 100km/h
Working Temperature: 0° to 50°
Runtime: 30 Hours
Solar: 4 × 350W
Solar Tilt: 30° to 45°
Efficiency (solar): 1 hour of sun/3 hours of light

MO-4410-4 Solar Mobile Light Tower



Lumen Output: 56,000lm
Mast Height: 7.5 Metres
Mast Type: Hydraulic/Cable
Lights: 4 x 100w LED Modules
Coverage: 110m x 100m at 5 lux
Light Bar Rotation: 355° Electric
Light Bar Tilt: 70° Electric
Trailer Type: Single Axle
Tyre and Rim Size: 215/70R15
Stabiliser Supports: 4 x Manual
Mudguard / Wheel Chock: Included
Battery: 10.8kWh Deep Cycle Gel
Wind Rating: 100km/h
Working Temperature: 0° to 50°
Runtime: 30 Hours
Solar: 1.23kWp
Solar Tilt: 30° to 45°
Efficiency (solar): 1 hour of sun/3 hours of light

MO-3420-5 Solar Mobile Light Tower



Lumen Output: 150lm/W
Mast Height: 7.5 Metres
Mast Type: Hydraulic/Cable
Lights: 4 x 120w LED Modules
Coverage: 110m x 100m at 5 lux
Trailer Type: Single Axle
Tyre and Rim Size: 185/70R14
Stabiliser Supports: 4 x Manual
Mudguard / Wheel Chock: Included
Battery: 4x12V200Ah Deep Cycle Gel
Wind Rating: 100km/h
Working Temperature: 0° to 50°
Runtime: 30 Hours
Solar: 3x350W
Solar Tilt: 30° to 45°
Efficiency (solar): 1 hour of sun/3 hours of light

MO-33450 Solar Power Storage Cabinet



Solar panel power supply :33x450W
Battery capacity :50x250 ah
Battery type: Colloid/Lithium
Irradiation direction: Electric
Walking mode: Trailer
Size :11000x2000x2000mm
Loading and unloading method: Forklift/crane
remark:
Parameter requirements can be customized

MO-8400 Solar Power Generator



Lifting Mode : Manual/Electric/Hydraulic
Lifting Height:4-9 m
Solar Panel Power : 8x400W
Battery Capacity : 12x200Ah
Battery Type : Colloid/Lithium
Solar Panel Tilt : Electric Adjustment
Walk Mode: Trailer
Loading and Unloading Method : Forklift/Crane
remark:
Parameter requirements can be customized

MO-5658 Mobile Light tower



Lifting mode: Manual
Mast Height: 7-10 m (Custom)
Support Leg Adjustment: Manual
Lights: 4x500W/1000W
Light source type: LED/ Metal Halide Lamp
Power brand: Kubota/Kohler/Koop
Tank capacity: ≥100L
Tyre size: 185/70 R14
Maximum speed: 80km/h
Walking mode: towing type
Loading and unloading method: Forklift/crane

MO-520 Hydraulic lifting light tower




Lifting mode: Hydraulic
Mast Height: 7-10 m (Custom)
Support Leg Adjustment: Manual
Lights: 4x500W/1000W
Light source type: LED/ Metal Halide Lamp
Power brand: Kubota/Kohler/Koop
Tank capacity: ≥120L
Tyre size: 185/70 R14
Maximum speed: 80km/h
Walking mode: Towing type
Loading and unloading method: Forklift/crane

MO-407 Portable Small Mobile Light Tower



Lifting mode: Manual/electric (Optional)
Mast Height:7 m (Customizable)
Support Leg Adjustment: Manual
Lights:4x 250w(Customizable)
Lamp type :LED
Power Brand: Honda/Made in China (Optional)
Tank capacity :15L
Walking mode: hand push
Loading and unloading method: Forklift/crane
Note: The generator set can replace the battery

MO-806 Hydraulic lifting light tower



Lifting mode: Hydraulic
Mast Height: 7-10 m (Custom)
Support Leg Adjustment: Hydraulic
Lights: 4x500W/1000W
Light source type: LED/ Metal Halide Lamp
Power brand: Kubota/Kohler/Koop
Tank capacity: ≥120L
Tyre size: 185/70 R14
Maximum speed: 80km/h
Walking mode: Towing type
Loading and unloading method: Forklift/crane

MO-4400L Mobile Light Tower



Lifting mode: Manual/electric (optional)
 Mast Height: 5m (customizable)
 Parking method: foot brake
 Lights: 4×250w(customizable)
 Lamp type :LED
 Power Brand: Honda/Made in China (optional)
 Tank capacity :15L
 Walking mode: hand push
 Loading and unloading method: Forklift/crane
 Note: The generator set can replace the battery

MO-1200Q Balloon Mobile Light Tower



Lifting mode: Manual/electric (optional)
 Mast Height: 5m (customizable)
 Parking method: foot brake
 Lights :2×1000w(customizable)
 Lamp type :Halide lamp
 Power Type: Diesel/Gasoline (custom)
 Tank capacity :15-25L
 Walking mode: hand push
 Loading and unloading method: Forklift/crane
 Note: The generator set can replace the battery

MO-2740 Auto Loading and Unloading Mobile Lighting Cabin



Feature: Auto Loading and Unloading
 Lifting Mode: Pneumatic
 Mast Height: 7m
 Outrigger unfold Mode :electric
 Lights:4×500W
 Light Type:LED
 Control Type : Panel + Remote control
 4Gelectric Quantity Monitor: Optional
Remark:
 Mast Height,Light Power
 and Type is customizable

MO-2630Auto Loading and Unloading Mobile Generator Cabin



Feature : Auto Loading and Unloading
 Loading and Unloading Mode : Electric or Hydraulic
 Lights : 2×60W
 Set Power : 30KW
 Votage : 230V/380V
 Output Socket : 5pcs
 High-pressure common rail : Optional
 4Gelectric quantity monitor : Optional
 Control Type : Panel + Remote control
Remark:
 Genset Power and Type is customizable

MO-2940 Auto Loading and Unloading Mobile Charging Cabin



Product Feature:Auto Loading and Unloading
 Lights : 2×200W
 Set Power : 5.0KW
 Mobile Power : 12-16pcs
 Solar Pack : 12-16PCS
 Three-pin socket : 24PCS
 Two pin socket : 24pcs
 USB Port : 24pcs
 PV Panel : 60w
 LED Screen : Standard
 4G Electric Quantity Monitor : Optional

MO-2818Auto Loading and Unloading Mobile Drainage Cabin




Product Feature:Auto Loading and Unloading
 Max Flow Rate : 400m³/h
 Max Lift : 8-10m
 Engine Power : 18kW
 Engine Type : Gasoline/Diesel
 Pump Power : 15KW
 Pump Type : submerged pump
 Hose Length : 2×25m
 Hose Diameter : 200mm (8inch)
 Barrier Particle Diameter : ≤35mm
 Runtime : 8h
 Control Mode : Panel + Remote control
 Operating Weight : 850kg

MO-6135Emergency Light System



Product Feature : Auto Loading and Unloading
 Lifting Mode : Pneumatic
 Mast Height : 8 m
 LED Lights : 3×600W
 Beam Angle : Left and Right0-360°
 Up and Down0-135°
 Power Brand : YAMAHA (Optional)
 Control Type : Panel + Remote control
 4G graphics transmission : Optional
 Broadcast function : Hand microphone
 high pitch loudspeaker
 Shipping Dimensions : 1300×1500×2300mm
 Total Weight : ≤500kg

MO-2660Intelligent Mobile Light Platform



Product Feature : Auto Loading and Unloading
 Lifting mode : Hydraulic
 Mast Height : 10 m
 LED Lights : 6×240W
 4×550W
 Platform Rotation Angle : Left and Right0-360°
 Up and Down0-135°
 Power Brand : YAMAHA (Optional)
 Control Type : Panel + Remote control
 4 graphics transmission : Optional
 Shipping Dimensions : 1600×1500×1400mm