

**POWER**<sup>®</sup>  
ELEKTRONİK  
Endüstriyel Güç Sistemleri  
Industrial Power Solutions



## MO-3380-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:7m (Customizable)  
 Solar Panel Power : 3×380W (Customizable)  
 Battery Capacity : 4×200Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Light Power : 4\*150W (Customizable)  
 Light Type : LED (Option)  
 Control Mode : Time control/Light Control  
 Lighting direction : Electric Adjustment  
 Solar Panel Tilt : Electric Adjustment  
 Unfold mode: Stretching  
 Walk Mode: Trailer  
 Loading and Unloading Mode : Forklift/Crane

## SV3380-4 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:4-9 m (Customizable)  
 Solar Panel Power : 3×380W (Customizable)  
 Battery Capacity : 4×200Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Camera Type : Bullet/Dome  
 Camera Power : Option  
 Control Mode : 4G  
 Solar Panel Tilt : Electric Adjustment  
 Walk Mode: Trailer  
 Loading and Unloading Mode : Forklift/Crane

## MO-2435-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:7 m (Customizable)  
 Solar Panel Power : 2×435W (Customizable)  
 Battery Capacity : 4×200Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Light Power : 4\*150W (Customizable)  
 Light Type : LED (Option)  
 Control Mode : Time control/Light Control  
 Lighting direction : Electric Adjustment  
 Walk Mode : Trailer  
 Loading and Unloading Mode : Forklift/Crane

## Sv2435 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:4-9 m (Customizable)  
 Solar Panel Power : 2×435W (Customizable)  
 Battery Capacity : 4×200Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Camera Type : Bullet/Dome  
 Camera Power : Option  
 Control Mode : 4G  
 Walk Mode: Trailer  
 Loading and Unloading Mode : Forklift/Crane

## MO-3150-4 Solar Mobile Light Tower



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:7m (Customizable)  
 Solar Panel Power : 3×150W (Customizable)  
 Battery Capacity : 2×150Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Light Power : 4\*80W (Customizable)  
 Light Type : LED (Option)  
 Control Mode : Time control/Light Control  
 Lighting direction : Electric Adjustment  
 Solar Panel Tilt : Electric Adjustment  
 Storage mode: Folding  
 Walk Mode : Trailer  
 Loading and Unloading Mode : Forklift/Crane

## SV3150 Solar Mobile Surveillance



Lifting Mode : Manual/Electric/Hydraulic (Option)  
 Lifting Height:4-9 m (Customizable)  
 Solar Panel Power : 3×150W (Customizable)  
 Battery Capacity : 2×150Ah (Customizable)  
 Battery Type : Colloid/Lithium (Option)  
 Camera Type : Bullet/Dome  
 Camera Power : Option  
 Control Mode : 4G  
 Solar Panel Tilt : Electric Adjustment  
 Storage mode: Folding  
 Walk Mode: Trailer  
 Loading and Unloading Mode : Forklift/Crane

## MO-3400-4 Solar Mobile Light Tower



Lumen Output: 150lm/W  
 Mast Height: 7.5 Metres  
 Mast Type: Hydraulic/Cable  
 Lights: 4 x 100w LED Modules  
 Coverage: 110m x 100m at 5 lux  
 Light Bar Rotation: 355° Electric  
 Light Bar Tilt: 70° Electric  
 Trailer Type: Single Axle  
 Tyre and Rim Size: 215/70R15  
 Stabiliser Supports: 4 x Manual  
 Mudguard / Wheel Chock: Included  
 Battery: 10.8kWh Deep Cycle Gel  
 Wind Rating: 100km/h  
 Working Temperature: 0° to 50°  
 Runtime: 30 Hours  
 Solar: 1.23kWp  
 Solar Tilt: 30° to 45°  
 Efficiency (solar): 1 hour of sun/3 hours of light

## MO-4350-4 Solar Mobile Light Tower



Lumen Output: 150lm/W  
 Mast Height: 7.5 Metres  
 Mast Type: Hydraulic/Cable  
 Lights: 4 x 200w LED Modules  
 Coverage: 110m x 100m at 12 lux  
 Light Bar Tilt: 70° Electric  
 Trailer Type: Single Axle  
 Tyre and Rim Size: 185/70R14  
 Stabiliser Supports: 4 x Manual  
 Mudguard / Wheel Chock: Included  
 Battery: 4 × 12V250Ah Deep Cycle Gel  
 Wind Rating: 100km/h  
 Working Temperature: 0° to 50°  
 Runtime: 30 Hours  
 Solar: 4×350W  
 Solar Tilt: 30° to 45°  
 Efficiency (solar): 1 hour of sun/3 hours of light

### MO-4410-4 Solar Mobile Light Tower




Lumen Output: 56,000lm  
 Mast Height: 7.5 Metres  
 Mast Type: Hydraulic/Cable  
 Lights: 4 x 100w LED Modules  
 Coverage: 110m x 100m at 5 lux  
 Light Bar Rotation: 355° Electric  
 Light Bar Tilt: 70° Electric  
 Trailer Type: Single Axle  
 Tyre and Rim Size: 215/70R15  
 Stabiliser Supports: 4 x Manual  
 Mudguard / Wheel Chock: Included  
 Battery: 10.8kWh Deep Cycle Gel  
 Wind Rating: 100km/h  
 Working Temperature: 0° to 50°  
 Runtime: 30 Hours  
 Solar: 1.23kWp  
 Solar Tilt: 30° to 45°  
 Efficiency (solar): 1 hour of sun/3 hours of light

### MO-3420-5 Solar Mobile Light Tower



Lumen Output: 150lm/W  
 Mast Height: 7.5 Metres  
 Mast Type: Hydraulic/Cable  
 Lights: 4 x 120w LED Modules  
 Coverage: 110m x 100m at 5 lux  
 Trailer Type: Single Axle  
 Tyre and Rim Size: 185/70R14  
 Stabiliser Supports: 4 x Manual  
 Mudguard / Wheel Chock: Included  
 Battery: 4x12V200Ah Deep Cycle Gel  
 Wind Rating: 100km/h  
 Working Temperature: 0° to 50°  
 Runtime: 30 Hours  
 Solar: 3x350W  
 Solar Tilt: 30° to 45°  
 Efficiency (solar): 1 hour of sun/3 hours of light

### MO-33450 Solar Power Storage Cabinet



Solar panel power supply :33x450W  
 Battery capacity :50x250 ah  
 Battery type: Colloid/Lithium  
 Irradiation direction: Electric  
 Walking mode: Trailer  
 Size :11000x2000x2000mm  
 Loading and unloading method: Forklift/crane  
**remark:**  
 Parameter requirements can be customized

### MO-8400 Solar Power Generator



Lifting Mode : Manual/Electric/Hydraulic  
 Lifting Height:4-9 m  
 Solar Panel Power : 8x400W  
 Battery Capacity : 12x200Ah  
 Battery Type : Colloid/Lithium  
 Solar Panel Tilt : Electric Adjustment  
 Walk Mode: Trailer  
 Loading and Unloading Mode : Forklift/Crane  
**remark:**  
 Parameter requirements can be customized

### MO-5658 Mobile Light tower



Lifting mode: Manual  
 Mast Height: 7-10 m (Custom)  
 Support Leg Adjustment: Manual  
 Lights: 4x500W/1000W  
 Light source type: LED/ Metal Halide Lamp  
 Power brand: Kubota/Kohler/Koop  
 Tank capacity: ≥100L  
 Tyre size: 185/70 R14  
 Maximum speed: 80km/h  
 Walking mode: towing type  
 Loading and unloading method: Forklift/crane

### MO-520 Hydraulic lifting light tower




Lifting mode: Hydraulic  
 Mast Height: 7-10 m (Custom)  
 Support Leg Adjustment: Manual  
 Lights: 4x500W/1000W  
 Light source type: LED/ Metal Halide Lamp  
 Power brand: Kubota/Kohler/Koop  
 Tank capacity: ≥120L  
 Tyre size: 185/70 R14  
 Maximum speed: 80km/h  
 Walking mode: Towing type  
 Loading and unloading method: Forklift/crane

### MO-407 Portable Small Mobile Light Tower



Lifting mode: Manual/electric (Optional)  
 Mast Height:7 m (Customizable)  
 Support Leg Adjustment: Manual  
 Lights:4x 250w(Customizable)  
 Lamp type :LED  
 Power Brand: Honda/Made in China (Optional)  
 Tank capacity :15L  
 Walking mode: hand push  
 Loading and unloading method: Forklift/crane  
**Note:** The generator set can replace the battery

### MO-806 Hydraulic lifting light tower



Lifting mode: Hydraulic  
 Mast Height: 7-10 m (Custom)  
 Support Leg Adjustment: Hydraulic  
 Lights: 4x500W/1000W  
 Light source type: LED/ Metal Halide Lamp  
 Power brand: Kubota/Kohler/Koop  
 Tank capacity: ≥120L  
 Tyre size: 185/70 R14  
 Maximum speed: 80km/h  
 Walking mode: Towing type  
 Loading and unloading method: Forklift/crane

## MO-4400L Mobile Light Tower



Lifting mode: Manual/electric (optional)  
 Mast Height: 5m (customizable)  
 Parking method: foot brake  
 Lights: 4×250w(customizable)  
 Lamp type :LED  
 Power Brand: Honda/Made in China (optional)  
 Tank capacity :15L  
 Walking mode: hand push  
 Loading and unloading method: Forklift/crane  
 Note: The generator set can replace the battery

## MO-1200Q Balloon Mobile Light Tower



Lifting mode: Manual/electric (optional)  
 Mast Height: 5m (customizable)  
 Parking method: foot brake  
 Lights :2×1000w(customizable)  
 Lamp type :Halide lamp  
 Power Type: Diesel/Gasoline (custom)  
 Tank capacity :15-25L  
 Walking mode: hand push  
 Loading and unloading method: Forklift/crane  
 Note: The generator set can replace the battery

## MO-2740 Auto Loading and Unloading Mobile Lighting Cabin



Feature: Auto Loading and Unloading  
 Lifting Mode: Pneumatic  
 Mast Height: 7m  
 Outrigger unfold Mode :electric  
 Lights:4×500W  
 Light Type:LED  
 Control Type : Panel + Remote control  
 4Gelectric Quantity Monitor: Optional  
**Remark:**  
 Mast Height,Light Power  
 and Type is customizable

## MO-2630Auto Loading and Unloadng Mobile Generator Cabin



Feature : Auto Loading and Unloading  
 Loading and Unloading Mode : Electric or Hydraulic  
 Lights :2×60W  
 Set Power : 30KW  
 Votage : 230V/380V  
 Output Socket : 5pcs  
 High-pressure common rail : Optional  
 4Gelectric quantity monitor : Optional  
 Control Type : Panel + Remote control  
**Remark:**  
 Genset Power and Type is customizable

## MO-2940 Auto Loading and Unloading Mobile Charging Cabin



Product Feature:Auto Loading and Unloading  
 Lights : 2×200W  
 Set Power : 5.0KW  
 Mobile Power : 12-16pcs  
 Solar Pack : 12-16PCS  
 Three-pin socket : 24PCS  
 Two pin socket : 24pcs  
 USB Port : 24pcs  
 PV Panel : 60w  
 LED Screen : Standard  
 4G Electric Quantity Monitor : Optional

## MO-2818Auto Loading and Unloading Mobile Drainage Cabin




Product Feature:Auto Loading and Unloading  
 Max Flow Rate : 400m³/h  
 Max Lift : 8-10m  
 Engine Power : 18kW  
 Engine Type : Gasoline/Diesel  
 Pump Power : 15KW  
 Pump Type : submerged pump  
 Hose Length : 2×25m  
 Hose Diameter : 200mm (8inch)  
 Barrier Particle Diameter : ≤35mm  
 Runtime : 8h  
 Control Mode : Panel + Remote control  
 Operating Weight : 850kg

## MO-6135Emergency Light System



Product Feature : Auto Loading and Unloading  
 Lifting Mode : Pneumatic  
 Mast Height : 8 m  
 LED Lights : 3×600W  
 Beam Angle : Left and Right0-360°  
 Up and Down0-135°  
 Power Brand : YAMAHA (Optional)  
 Control Type : Panel + Remote control  
 4G graphics transmission : Optional  
 Broadcast function : Hand microphone  
 high pitch loudspeaker  
 Shipping Dimensions : 1300×1500×2300mm  
 Total Weight : ≤500kg

## MO-2660Intelligent Mobile Light Platform



Product Feature : Auto Loading and Unloading  
 Lifting mode : Hydraulic  
 Mast Height : 10 m  
 LED Lights : 6×240W  
 4×550W  
 Platform Rotation Angle : Left and Right0-360°  
 Up and Down0-135°  
 Power Brand : YAMAHA (Optional)  
 Control Type : Panel + Remote control  
 4 graphics transmission : Optional  
 Shipping Dimensions : 1600×1500×1400mm